

DEPARTMENT ADMINISTRATIVE ORDER NO. 21-08 Series of 2021

SUBJECT: THE NEW TECHNICAL REGULATION CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

WHEREAS, the Department of Trade and Industry (DTI) is the primary coordinative, promotive, facilitative and regulatory arm of government in the area of trade industry and investments.

WHEREAS, the Bureau of Philippine Standards (BPS) (formerly known as Bureau of Product Standards) is mandated to establish standards for all products of the Philippines and to ensure the manufacture, production, and distribution of quality products for the protection of the consumer,

WHEREAS, the same mandate is reiterated in R.A. 7394 or the Consumer Act of the Philippines declared that it is the duty of the State to develop and provide safety and quality standards for consumer products, including performance or use-oriented standards, codes of practice and methods of tests;

WHEREAS, to implement the above-cited laws and by virtue of the rule-making power of the DTI Secretary under Executive Order (E.O.) 292 or the Administrative Code of 1987, Department Administrative Order (DAO) No. 04, the Rules and Regulations Concerning the Philippine Standard (PS) Quality and/or Safety Certification Mark Scheme of the BPS, and DAO No. 05, entitled the New Rules and Regulations Concerning the Issuance of the Import Commodity Clearance Under the Product Certification Scheme of the BPS were issued in 2008;

WHEREAS, under Section 9, Article XVI of the 1987 Constitution provides that "the State shall protect consumers from trade malpractices and from substandard or hazardous products". Thus, the continuous updating of all existing standards and policies and procedures regarding the mandatory implementation:

NOW, THEREFORE, pursuant to Section 9. Article XVI of the 1987 Philippine Constitution, R.A. 4108; R.A. 7394; E.O.101. Series of 1967; E.O. 913. Series of 1983; and E.O. 292, Series of 1987, Sec 10 (4), Chapter 3, Title X. Book IV. the following Technical Regulation governing the BPS Mandatory Product Certification Schemes for ceramic plumbing fixtures is hereby prescribed and promulgated for the compliance, information, and guidance of all concerned.

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTHICATION OF CERAMIC PLUMBING FIXTURES

OFFICE OF THE SECRETARY D.

(9) 5F Industry & Investments Building, 385 Sen, Gil J. Payat Average 1200 Malacti City. Philippine: 13 (+632) 791 3400 🎲 (+632) 895 * 165 중 www.dtr.gov.ph 🖓 등 6-632) 895 * 165

TRABEL P. ISNANI

Fane 1 of 29

CERTIFIED TRUE PHOTOCOFY

Head Records Section

ANGELICA

Rule 1. OBJECTIVE

This DAO aims to strictly ensure that ceramic plumbing fixtures (CPFs) meet the specified quality requirements as prescribed by this Technical Regulation.

Rule 2. SCOPE

This Technical Regulation covers the mandatory certification of the following CPFs, whether locally manufactured or imported:

- 2.1 Bidets;
- 2.2 Lavatories;
- 2.3 Shower bases;
- 2.4 Sinks
 - 2.4.1 Laboratory sinks;
 - 2.4.2 Laundry sinks;
 - 2.4.3 Service sinks;
 - 2.4.4 Utility sinks;
- 2.5 Urinals; and
- 2.6 Water closets

Rule 3. DEFINITION OF TERMS

For purposes of this Order, the following definitions shall apply:

- 3.1 Audit a systematic, independent and documented process for obtaining audit evidence, and evaluating it objectively to determine the extent to which the audit criteria are fulfilled.¹
- 3.2 Audit criteria set of policies, procedures or requirements used as a reference against which audit evidence is compared.²
- 3.3 Attestation issuance of a statement of conformity based on a decision following review of an audit report, that fulfillment of specified requirements has been demonstrated.³
- 3.4 Accredited Conformity Assessment Body (CAB) inspection body, testing laboratory or certification body accredited under PNS ISO/IEC 17020, PNS ISO/IEC 17021, PNS ISO/IEC 17025 or PNS ISO/IEC 17065, respectively, in its relevant updated version/edition by the Philippine Accreditation Bureau (PAB) or by an accreditation body that is a signatory to regional/international agreements entered into by the Government of the Republic of the Philippines through DTI [(i.e. Asia-Pacific Accreditation Cooperation (APAC), International Laboratory Accreditation Cooperation (ILAC), International Accreditation Forum (IAF)]
- 3.5 BPS Bureau of Philippine Standards of the DTI.

Page 2 of 29

EEL P. ISNANI

Head, Records Section

ANGELICA ISA

¹ PNS ISO 19011:2011

² Ibid.

³ PNS ISO/IEC 17000

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

- 3.6 BPS Recognized Conformity Assessment Body (CAB) the CAB (inspection body, testing laboratory, or certification body) duly recognized by BPS to have the scope and competence to conduct activities relevant to the requirements set forth by BPS, to include but not limited to, CABs accredited by the PAB, CABs recognized by BPS under the Association of South East Asian Nations Mutual Recognition Arrangement (ASEAN MRA), Asia-Pacific Economic Cooperation (APEC) MRA and other regional and bilateral MRAs entered into by the Government of the Philippines through the DTI.
- 3.7 Ceramic Plumbing Fixture (CPF) an exchangeable device made of vitreous or non-vitreous ceramic that receives water, waste matter, or both and directs these substances into a drainage system.
- 3.8 Certification Body third party conformity assessment body operating a certification scheme.
- 3.9 Certificate of Conditional Release a document issued to an importer allowing the temporary release of goods from Customs' custody, upon compliance with the BOC and BPS requirements, while awaiting BPS decision on the issuance of SOC/ICC Certificate.
- 3.10 Claim information declared by client.
- 3.11 Confirmation an action, declaration, document, or statement that corroborates, ratifies, verifies, gives formal approval, or assures the validity of something.⁴
- 3.12 Conformity fulfillment of a requirement.5
- 3.13 Conformity Assessment activity to determine whether specified requirements relating to a product, process, system, person or body are fulfilled.⁵
- 3.14 Conformity Assessment Body (CAB) a third party inspection body, testing laboratory and certification body operating within its scope of competence.
- 3.15 DTI Department of Trade and Industry
- 3.16 Determination include assessment activities such as testing, measuring, inspection, design appraisal, assessment of services, and auditing to provide information regarding the product requirements as input to the review and attestation functions.
- 3.17 Evaluation systematic examination of the extent to which a product, process, or service fulfills specified requirements. ⁶
- 3.18 Import Commodity Clearance (ICC) a document stating that the imported ceramic plumbing fixtures comply with the specified requirements after undergoing inspection and testing.

Page 3 of 29

ANGELICA ISRUEL P. ISNANI Head, Records Section

⁴ Webster's New World Law Dictionary

⁵ PNS ISO/IEC 17000

⁶ Ibid.

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC FLUMBING FIXTURES

- 3.19 International Standard a standard developed under the WTO principles for international standards development such as those developed by international bodies like the International Organization for Standardization (ISO), International Electrotechnical Commission (IEC), International Telecommunication Union (ITU) and those developed by foreign standards bodies under these principles.
- 3.20 Inspection examination of a product, process, service, or installation or their design and determination of its conformity with specific requirements, or, on the basis of professional judgment, with general requirements.⁷ This includes inventory and sampling.
- 3.21 Inspection body a body that performs inspection. ⁸
- 3.22 Lot No./Batch No. an identification number permanently marked on the box/packaging of the CPFs. This is used to identify production batch/lot of the products for quality control and traceability purposes.
- 3.23 Model a particular version of the product distinguishable from other products of the same type by size, shape, and function.
- 3.24 PNS ISO 9000 Quality Management System Fundamentals and Vocabulary
- 3.25 PNS ISO 9001 Quality Management Systems Requirements
- 3.26 PNS ISO/IEC 17020 Conformity assessment Requirements for the operation of various types of bodies performing inspection.
- 3.27 PNS ISO/IEC 17021 Conformity assessment Requirements for bodies providing audits and certification of management systems.
- 3.28 **PNS ISO/IEC 17025** General requirements for the competence of testing and calibration laboratories.
- 3.29 PNS ISO/IEC 17029 Conformity assessment General principles and requirements for validation and verification bodies.
- 3.30 PNS ISO/IEC 17065 Conformity assessment Requirements for bodies certifying products, processes and services.
- 3.31 PNS ISO 19011 Guidelines for auditing management systems.
- 3.32 PAB Philippine Accreditation Bureau of the DTI.
- 3.33 Philippine National Standards (PNS) Standards promulgated by the BPS.
- 3.34 Product Certification the provision of impartial third-party attestation that fulfillment of specified requirements has been demonstrated.⁹

Page 4 of 29

1224

ANGELICA ISACEL P. ISNANI Head. Records Section

Lis:

7 PNS ISO/IEC 17020

⁸ Ibid.

9 PNS ISO/IEC 17065

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

- 3.35 **PS License** authority given by BPS to a local/foreign manufacturer, authorizing the use of the PS Certification Mark on its product.
- 3.36 Review verification of the suitability, adequacy and effectiveness of selection and determination activities, and the results of these activities, with regard to fulfillment of specified requirements.¹⁰
- 3.37 **Sampling** a method of obtaining a representative sample of a product shipment according to a specified procedure.
- 3.38 **Standard** a document approved by a recognized body, that provides, for common and repeated use, rules, guidelines or characteristics for products or related processes and production methods, with which compliance is not mandatory
- 3.39 Statement of Confirmation (SOC) a document stating that the imported CPFs were sourced from a manufacturer with a valid PS License and that the imported CPFs from said manufacturer comply with specified requirements after undergoing inspection and verification and should contain the batch number and manufacturing date of the imported CPFs.
- 3.40 Surveillance a systematic iteration of conformity assessment activities as a basis for maintaining the validity of the statement of conformity.¹¹
- 3.41 Technical Regulation a document which lays down product characteristics for their related processes and production methods, including the applicable administrative provisions, with which compliance is mandatory.
- 3.42 Test Report a document that presents test results and other information relevant to a test.
- 3.43 **Testing Laboratory** a laboratory which measures, examines, or determines the characteristics of performance of material or products.
- 3.44 Third Party a body that is independent of the organization that provides the product/service and is not the user of the product/service (testing, inspection, and sampling).¹²
- 3.45 Trade name any registered name or designation identifying or distinguishing an enterprise
- 3.46 Verification confirmation of a claim, through the provision of objective evidence, that specified requirements have been fulfilled.¹³ This may include product testing.
- 3.47 Warehouse secured premises built purposely for storage of products and to preserve the quality and integrity of the same.

Page 5 of 29

¹⁰ PNS ISO/IEC 17000

[&]quot; PNS ISO/IEC 17000

¹² Ibid.

¹³ PNS ISO/IEC 9000

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

ANGELICA ISABEL P. ISNANI Head, Records Section

Rule 4. THE PHILIPPINE STANDARD (PS) QUALITY CERTIFICATION MARK LICENSING SCHEME

The PS Quality Certification Mark Licensing Scheme (PS Licensing Scheme for brevity) shall be available to both local and foreign manufacturers selling or distributing CPFs in the Philippine market. The License to use the PS Certification Mark shall be granted to a company found to be compliant with the requirements. To ensure compliance of the certified products, regular surveillance activities as per existing DTI rules shall be conducted as follows, as may be applicable:

- 4.1 Local companies holding a valid PS license:
 - 4.1.1 Annual system and product audit at the factory; and
 - 4.1.2 Random inspection/verification at the factory/warehouse/market, and product testing (if necessary);
- 4.2 Foreign companies holding a valid PS license:
 - 4.2.1 Annual system and product audit at the factory; and
 - 4.2.2 Regular inspection/verification per shipment, and product testing (if necessary);

Rule 5. DOCUMENTARY REQUIREMENTS AND PROCEDURES FOR THE PS LICENSING SCHEME

- 5.1 Application for PS Licensing Scheme shall be supported by the following:
 - 5.1.1 Duly accomplished application form, subscribed and sworn to by the applicant, or his duly authorized management representative.
 - 5.1.2 For a sole proprietorship: DTI Certificate of Business Name Registration and permit issued by the local government unit having jurisdiction over it; or

For a corporation or partnership: SEC Certificate of Registration and Articles of Incorporation/Partnership and By-Laws, submitted once, unless an amendment has been made;

- 5.1.3 Latest Income Tax Return or latest audited financial statement, and certification of an accountant on the net worth of the business, submitted once unless an amendment has been made within the current year;
- 5.1.4 Quality Management System (QMS) Manual covering the product being applied for PS License, including the product/s' production process;
- 5.1.5 Description of the product's production/manufacturing process;
- 5.1.6 Product Identification Traceability Procedure including process flow, materials and process control and drawings, among others;
- 5.1.7 List of test and measuring equipment with their respective test capabilities, measuring ranges, and serial numbers at each inspection point and final product testing together with the evidence of ownership, such as but not limited to Official Receipts;

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

Page 6 of 29

CONTIFIED TRUE DHO

ANGELICA IAR P. ISNANI Head, Rec ords Section DENUE

- 5.1.8 Brief description of equipment maintenance and calibration program for all testing and measuring equipment with their corresponding calibration certificates;
- 5.1.9 Copies of labels, markings, and logos as per requirements of specific standard;
- 5.1.10 Description of the supply distribution chain. If new business, identify the target market. If foreign company, identify the Philippine principal and describe the organizational relationship of the applicant/license holder and Philippine principal;
- 5.1.11 Vicinity map of the factory; and
- 5.1.12 Oath of undertaking to abide by the Terms and Conditions of the License, respectively signed by the manufacturer and local office/agent.

5.2 PS License Application Process

- 5.2.1 Processing of applications under this scheme replaces the PS Licensing Scheme under DAO 4:2008, subject to the requirements and transitory provisions stated herein.
- 5.2.2 Each PS License application shall be product-specific, factory, plant or site-specific, and importer, local office or agent-specific. For foreign manufacturers, only one local importer per license shall be allowed. However, a specific factory or plant may apply for multiple licenses. As such, a separate PS License application shall be filed by importer, local office or agent.
- 5.2.3 Conduct of Factory and Product Audit
 - 5.2.3.1 Upon submission and confirmation of the completeness and compliance of the documentary requirements, an assessment of the Quality Management System's conformity to PNS ISO 9001 and product specifications' conformity to specific applicable version of PNS shall be conducted;
 - 5.2.3.2 Audit shall be undertaken by either the BPS, DTI Regional/Provincial Office (RO/PO), or BPS-recognized auditing bodies based on established audit procedure; and
 - 5.2.3.3 During the audit, samples shall be drawn for all types per brand per model of the product to be certified for the purpose of in-plant and independent testing. Independent testing shall be conducted only by the BPS Testing Laboratory or BPS-recognized testing laboratories.
 - 5.2.3.4 If there are non-conformities noted during the audit, the auditors shall inform the company and require them to undertake corrective actions. The auditors shall accomplish the non-conformity report for the non-

Page 7 of 29 THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES 000 ANGELICA ISA EL P. ISNANI Head, Records Section Dep31 INEN: Sf 1138h & 113ustr/

conformities observed which shall be acknowledged by the company's authorized representative.

- 5.2.3.5 The company shall implement and complete the corrective actions within three (3) months for initial audit and one (1) month for surveillance and product inclusion audit. If the company fails to implement the corrective actions within the specified period, it should be a cause for denial of PS application or suspension of the PS License.
- 5.2.4 If the applicant is a foreign-based manufacturer, the application shall, for purposes of accountability, be made and filed by its local branch or representative office or representative agency who must be duly registered in accordance with Philippine laws;
- 5.2.5 The PS License shall only be issued upon satisfactory evaluation of the factory audit and determination of product conformance to the specific PNS based on pertinent test reports;
- 5.2.6 If the evaluation of the factory audit report showed unsatisfactory results, the PS License shall not be issued. Only after the re-assessment and subsequent product compliance shall the BPS issue the PS License;
- 5.2.7 The PS License shall be effective from the date of issuance and with full force and effect for a period of three (3) years, subject to the surveillance audits prescribed herein. PS License can be suspended, withdrawn or cancelled at any time for cause and after due process;
- 5.2.8 For renewals, the PS License holder must, through written notice, coordinate with BPS or the DTI RO/PO for a schedule of the re-certification audit at least six (6) months before the expiration date. Otherwise, the PS License shall be considered expired immediately after the end period of its validity.
- 5.2.9 In case of changes materially affecting the PS License and/or license holder's ability to comply with BPS product certification requirements, the license holder shall inform BPS in writing within one (1) month prior to the date the changes will take effect. The notice must include a request for audit.
 - 5.2.9.1 Changes may include, but shall not be limited to, change in management or business name; transfer of plant site; modification of product design and/or specifications.
- 5.2.10 All importers of CPFs covered by a valid PS License issued to a foreign manufacturer shall apply for a Statement of Confirmation (SOC) on a per shipment, per Bill of Lading/Airway Bill basis to ensure that the imported products came from a valid PS License holder company.

Rule 6. FILING / PROCESSING OF APPLICATION FOR STATEMENT OF CONFIRMATION (SOC) OR IMPORT COMMODITY CLEARANCE (ICC) FOR IMPORTED CERAMIC PLUMBING FIXTURES (CPFs)

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT GERTIFICATION OF GERAMIC PLUMBING FIXTURES

Page 8 of 29

- 6.1. The importer shall apply for either Statement of Confirmation (SOC) for PS certified CPFs or Import Commodity Clearance (ICC) for non-PS certified CPFs on a per product per shipment per Bill of Lading/Airway Bill basis. The duly accomplished and subscribed application form shall be supported by the following:
 - 6.1.1 For sole proprietorship registered with DTI, the application shall be accomplished and signed by the owner and filed by the owner or by a duly authorized representative by virtue of a notarized Special Power of Attorney (SPA); or

For Corporation/Partnership registered with SEC, the application shall be accomplished and signed, and filed by any officer or organic employee, duly authorized by virtue of a notarized board/partnership resolution or Secretary's Certificate;

6.1.2 Packing List;

6.1.3 Commercial Invoice;

- 6.1.4 Bill of Lading;
- 6.1.5 Summary of the production batch/lot/serial numbers;
- 6.1.6 DTI Certificate of Business Name Registration for sole proprietorship or Latest SEC Certificate of Registration and Articles of Incorporation/Partnership for corporation/partnership;
- 6.1.7 List of distributors/retailers with their complete addresses and contact details;
- 6.1.8 Proof of ownership or contract of lease of warehouse;
- 6.1.9 Importer's Clearance Certificate from Bureau of Internal Revenue (BIR) or Certificate of Registration issued by Bureau of Customs (BOC);
- 6.1.10Import Entry (may be submitted later prior to release of the certificate);
- 6.1.11Surety Bond;
- 6.1.12 Proof of Billing for Office and Warehouse Addresses;
- 6.1.13Copy of PS License for SOC applications; and
- 6.1.14 Request Letter for Pre-shipment Inspection and Testing (optional)
- 6.2. The application for SOC/ICC shall be processed as follows:

6.2.1 Application for Statement of Confirmation (SOC)

6.2.1.1 The applicant shall submit the duly accomplished and subscribed application form and requirements to the BPS or to the nearest DTI RO/PO.

Page 9 of 29

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

> ANGELICA IS DEL P. ISNANI Head, Records Section Departure of Statemark Massarry

- 6.2.1.2 Upon receipt of the application and complete requirements, a Certificate of Conditional Release shall be issued, subject to the conditions stated therein.
- 6.2.1.3 Product inspection shall be conducted by the BPS, DTI RO/PO or the BPS-recognized inspection body at the declared warehouse in accordance with the applicable provisions hereof. The original inspection report shall be sent directly to the BPS by the BPS-recognized inspection body within two (2) working days from the date of inspection.
- 6.2.1.4 If inspection shows that the product shipped is consistent with the importation documents (e.g. quantity, product description, markings, etc.), SOC shall be issued by the BPS Bureau Director or his duly designated representative. Otherwise, a Show Cause Order shall be issued and the provisions hereto shall apply.
- 6.2.1.5 The BPS shall have the prerogative to require sampling and testing to verify the consistent conformance of the product to the standard as amended/updated as well as the compliance of the manufacturer to the provisions of this Order and other applicable rules and regulations.
- 6.2.2 Application for Import Commodity Clearance (ICC) with Pre-shipment Inspection and Testing
 - 6.2.2.1 Processing of applications under this scheme replaces the ICC Scheme under DAO 5:2008, subject to the requirements and transitory provisions stated herein.
 - 6.2.2.2 The applicant shall submit the duly accomplished application form and requirements to the BPS. The application shall be filed together with the request to utilize the services of a BPS-recognized inspection body and testing laboratory;
 - 6.2.2.3 Upon receipt of the complete application and request, the BPS shall issue the notice to conduct inspection and sampling to the identified BPS-recognized inspection body and testing laboratory, copy furnished the applicant;
 - 6.2.2.4 Product inspection and sampling shall be conducted by the BPS or the identified BPS-recognized inspection body within two (2) working days upon receipt of the notice to conduct inspection;
 - 6.2.2.5 Inspection and sampling shall be conducted at the manufacturer's plant site, exporter's warehouse, or port of loading, in accordance with the applicable provisions hereof. The original inspection report shall be sent directly to the BPS by the BPS-recognized inspection body within two (2) working days from the date of inspection.
 - 6.2.2.6 If inspection and sampling cannot be conducted within the prescribed period, the concerned BPS-recognized inspection body shall inform the

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

CERTIFIED TRUE PHOTOCOFY ANGELICA ISPEEL P. ISNANI Head. Records serion Deporting 1151 (1320 & Lidustry

Page 10 of 29

BPS in writing of the reason/s thereof within two (2) working days upon receipt of the notice to conduct inspection;

- 6.2.2.7 Product testing shall be conducted by the BPS Testing Laboratory or the identified BPS-recognized testing laboratory in accordance with the applicable provisions hereof. The BPS Testing Laboratory or BPS-recognized testing laboratory is required to submit the original copies of the test reports within two (2) working days upon issuance directly to the BPS;
- 6.2.2.8 Upon satisfactory results of the evaluation of the submitted application and documentary requirements, Certificate of Conditional Release shall be issued.
- 6.2.2.9 The importer shall nominate the BPS, DTI RO/PO or any of the BPSrecognized inspection bodies for the conduct of the post-shipment inspection;
- 6.2.2.10 Product inspection shall be conducted within two (2) working days from receipt of the written notice at the port of entry, vessel, or the importer's warehouse, whichever is applicable, subject to the Tariffs and Customs Code and applicable issuances by the Bureau of Customs.
- 6.2.2.11 If inspection showed that the product shipped is consistent with the importation documents and the pre-shipment inspection and testing reports submitted showed conformance, ICC shall be issued by the BPS within two (2) working days from BPS' receipt of the inspection report. Otherwise, a Show Cause Order shall be issued;
- 6.2.2.12 If the result of the pre-shipment testing showed non-conformance, BPS shall notify the importer that additional samples shall be drawn from the importer's warehouse stated in the Conditional release and that provisions of Rule 6.2.3.6 of this Order shall apply;
- 6.2.2.13 After the release of the ICC Certificate and corresponding stickers, product distribution, retail, or use may commence.
- 6.2.3 Application for Import Commodity Clearance (ICC) without Pre-shipment Inspection and Testing
 - 6.2.3.1 Processing of applications under this scheme replaces the ICC Scheme under DAO 5:2008, subject to the requirements and transitory provisions stated herein.
 - 6.2.3.2 The applicant shall submit the duly accomplished and subscribed application form and requirements to the BPS or to the nearest DTI RO/PO.
 - 6.2.3.3 Upon receipt of the application and complete requirements, a Certificate of Conditional Release shall be issued, subject to the conditions stated therein.

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIX TURES

Page 11 of 29

133327

CLATIFIED TRUE PHOTOCOLY

ANGELICA ISADEL P. ISNANI Head, Records Section

Cope ...

- 6.2.3.4 Product inspection and drawing of samples shall be conducted by the BPS, DTI RO/PO or the BPS-recognized inspection body at the declared warehouse in accordance with the applicable provisions hereof. The original inspection report shall be sent directly to the BPS by the BPS-recognized inspection body within two (2) working days from the date of inspection.
- 6.2.3.5 If inspection shows that the product shipped is consistent with the importation documents, the issuance of ICC shall be recommended subject to the satisfactory result of product testing. Otherwise, a Show Cause Order shall be issued and the provisions hereto shall apply.
- 6.2.3.6 The drawn samples shall be submitted by the applicant to the BPS Testing Laboratory or BPS recognized testing laboratory within three (3) working days from the date of inspection and sampling for the conduct of product testing.
- 6.2.3.7 If the result of the test shows conformance, the ICC shall be issued by the BPS Bureau Director or his duly designated representative. Otherwise, the provisions under Clause 9.2 of Rule 9 of this Order shall apply.
- 6.2.3.8 After the release of the ICC Certificate and corresponding stickers, product distribution, retail, or use may commence.
- 6.3. The importer shall inform BPS in writing if there are any revisions in the information provided in the application and seek approval of such prior to the conduct of inspection / verification. Otherwise, appropriate action shall be undertaken by BPS.

Rule 7. INSPECTION, DRAWING, AND RECEIVING OF SAMPLES

- 7.1 Inspection and sampling shall be conducted by the BPS, DTI RO/PO or the BPSrecognized inspection body within the prescribed time and in accordance with existing BPS Inspection and Sampling Procedure.
- 7.2 If inspection and sampling cannot be conducted within the prescribed period, the concerned DTI RO/PO or the BPS-recognized inspection body shall inform the BPS in writing of the reason/s thereof within sixteen (16) working hours upon receipt of the notice to conduct inspection. Under justifiable reasons, inspection and sampling may be re-scheduled, otherwise, appropriate action shall be undertaken.

7.3 Sampling Procedure

7.3.1The BPS, DTI RO/PO, BPS-recognized auditing/inspection body, the PS applicant/license holder, and SOC/ICC applicant's authorized representative shall ensure that the drawn samples are traceable to the particular serial / lot / batch or shipment where they were drawn.

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

Page 12 of 29



- 7.3.2The BPS, DTI RO/PO, BPS-recognized auditing/inspection body shall facilitate the preparation of two (2) sets of samples of CPFs on a per brand per type per model basis. The samples shall be properly labeled as first set and second set, respectively.
- 7.3.3For initial audits and ICC applications all brands, types, and models of the CPFs that will be covered by the license or shipment shall be sampled.
- 7.3.4 For surveillance audits at least one-third (1/3) of the brands, types, and models covered by the scope of the current license shall be sampled per surveillance audit. Any brands, types, and models that did not undergo sampling and testing during the validity of the license shall be dropped from the scope upon recertification.
- 7.3.5Test samples drawn shall be packed / sealed and signed in the presence of authorized representatives from BPS, DTI RO/PO or BPS-recognized auditing/inspection body who shall ensure that the Request for Test form is properly filled-up and signed by the manufacturer or importer.
- 7.3.6 The applicant shall ensure that the Request for Test form together with the drawn samples is directly submitted to the BPS Testing Laboratory or BPS-recognized testing laboratory within three (3) working days from the date of audit/inspection. For foreign-based PS License holders/applicants, they shall ensure that the samples drawn shall be shipped to the BPS Testing Laboratory or BPS-recognized testing laboratories laboratory within three (3) working days from the date of audit or inspection.
- 7.3.7The BPS Testing Laboratory or BPS-recognized testing laboratories laboratory shall document properly the receipt of the product samples to include but not limited to taking pictures of the following:
 - 7.3.7.1 Request for Test; and
 - 7.3.7.2 Packaging of the samples as submitted and received
 - 7.3.7.3 Full product markings of the samples

Rule 8. PRODUCT TESTING

- 8.1. Product testing shall be conducted as follows:
 - 8.1.1. Absorption Test
 - 8.1.2. Crazing Test
 - 8.1.3. Surface Examination
 - 8.1.4. Warpage Test
 - 8.1.5. Dimension Tests
 - 8.1.5.1. Thickness Test for all CPFs
 - 8.1.5.2. For Water Closets
 - 8.1.5.2.1. Trap Diameter
 - 8.1.5.2.2. Water Surface
 - 8.1.5.2.3. Spud Diameter
 - 8.1.5.2.4. Rim Height
 - 8.1.5.3. For Urinals
 - 8.1.5.3.1. Integral Trap Diameter

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

Page 13 of 29

CONTIFIED TRUE PHOTOCO: ANGELICA ISTANI Head, Records Section Depdition isf 11318 \$ master

- 8.1.5.3.2. Interior Width
- 8.1.5.3.3. Interior Height
- 8.1.5.3.4. Interior Depth
- 8.1.5.3.5. Projection
- 8.1.5.4. For Shower Base
- 8.1.5.4.1. Slope to Waste Outlet
 - 8.1.5.4.2. Flange
- 8.1.6. Structural Integrity Tests
 - 8.1.6.1. Wall Mounted CPF Load Test
 - 8.1.6.2. Shower Bases and Non-Vitreous Service Sinks Load Test
- 8.1.7. Performance Tests
 - 8.1.7.1. For Water Closets
 - 8.1.7.1.1. Water Consumption
 - 8.1.7.1.2. Trap Seal Depth (only performance test applicable to pail-flush water closet)
 - 8.1.7.1.3. Trap Seal Depth Restoration
 - 8.1.7.1.4. Granule and Ball Test
 - 8.1.7.1.5. Surface Wash Test
 - 8.1.7.1.6. Mix Media Test
 - 8.1.7.1.7. Overflow Test
 - 8.1.7.2. For Urinals
 - 8.1.7.2.1. Water Consumption
 - 8.1.7.2.2. Trap Seal Depth
 - 8.1.7.2.3. Surface Wash Test
 - 8.1.7.2.4. Dye Test
 - 8.1.7.3. For Lavatories
 - 8.1.7.3.1. Overflow Test
- 8.2. To verify conformance to the aforementioned testing requirements, the test methods prescribed by PNS 156:2010 for CPFs and PNS 2085:2011 for CPFs Pail flush water closets shall be used. Considering the regular updating of standards, the latest edition of the PNS shall be used as reference. It is understood that future amendments of the PNS used in this Order shall be effective one (1) year after its promulgation to provide ample time to all stakeholders to adjust and conform to the new requirements, if any.
- 8.3. For initial, surveillance or recertification audits, an additional sample per brand per type per model shall be tested in-plant. The manufacturer shall have testing capability to conduct the product testing of CPFs. Only after the result of in-plant tests showed conformance to the requirements of the standards shall the auditor prepare the Request for Test for the sealed samples as defined in Rule 7.3.2 for product testing by the BPS Testing Laboratory or BPS-recognized testing laboratories laboratory.
- 8.4. The drawn samples shall be tested by the BPS Testing Laboratory or BPSrecognized testing laboratories.
- 8.5. The original test reports shall be sent directly to the BPS by the BPS Testing Laboratory or BPS-recognized testing laboratory together with the pictures of samples as received, pictures of samples showing the required markings, and copy of the Request for Test.

Page 14 of 29
TRYENTOCO:
A ISAGEL P. ISNANI , Records Section

Rule 9. EVALUATION OF RESULTS

Results of tests shall be evaluated to determine conformance of the product to the relevant standard in accordance with the following:

- 9.1 For PS applications:
 - 9.1.1. For initial audit, if the test results show conformance, the PS License shall be issued. Otherwise, the applicant shall be advised accordingly and PS License shall not be issued. Only after re-assessment and subsequent product conformance shall BPS issue the PS License.
 - 9.1.2. For surveillance audit, if the test results show conformance, the PS License shall be continued or renewed. Otherwise, re-testing shall be conducted for the second and third sets of samples.

If the result of a re-testing shows non-conformance, the PS License shall be suspended immediately upon written notice. The nonconforming batch shall be destroyed or reprocessed, at the option of the manufacturer, under the supervision of the BPS. Only after reassessment and subsequent product conformance shall the BPS allow the continued use or renewal of the PS License.

- 9.1.3 Samples drawn from shipments of importers holding a valid PS License shall constitute as an unannounced surveillance audit and Rule 9.1.2 shall apply.
- 9.2 For ICC applications:
 - 9.2.1. If the result of product testing showed conformance, the ICC Certificate and stickers shall be issued. Otherwise, re-testing shall be conducted on the second set of samples at the expense of the applicant.

If the result of re-testing showed conformance, the shipment/batch will be declared as conforming and ICC Certificate and stickers shall be issued. Otherwise, the ICC application shall be denied and exportation or destruction of the non-conforming product under the supervision of the BPS, at the option of the importer, shall be undertaken.

9.2.2. If the ICC application is denied, BPS shall inform the importer of such denial. If the applicant fails to communicate with BPS within the period stated in the notice, a Show Cause Order shall be issued.

Rule 10. MARKING REQUIREMENTS

For traceability and verification purposes, the required markings for imported or manufactured CPFs shall be legible at all times for verification by the BPS and DTI RO/PO, their authorized representatives, and by the duly authorized enforcement teams either at the manufacturer's/importer's warehouse or traders'/distributors'/ retailers' warehouse, if applicable.

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

Page 15 of 29

CLATIFIED TRUELP YIDDOTOK ANGELICA ISABEL P. ISNANI Head, Records Section Denail 1 1 for the R muster

The required markings shall be as follows:

10.1 Permanent Markings – Each fixture shall be permanently marked by means of firing on, etching, sand blasting, stamping with a permanent ink, and casting in with the following information:

10.1.1 Correct and registered trade name, trademark, or brand name (in the case of private labeling, the name of the customer for whom the fixture was manufactured) on the visible portion;

10.1.2 Brand name and/or model number on the bottom or unglazed portion;

10.1.3 For water closets with gravity flush tanks - a water level mark shall be applied to the ceramic body of the tank, the tank liner or the flush valve overflow tube;

10.2 Water Consumption Labels – For urinals and water closets (except pail-flush water closets), a gummed label placed in a visible location on the fixture with the corresponding water consumption in liters per flush (Lpf) as follows:

Urinals		
High-Efficiency Urinals	1.9 Lpf or the actual tested water consumption, if lower	
Low-Consumption Urinals	3.8 Lpf or the actual tested water consumption, if lower	

Water Closets	
High-Efficiency Water Closets	4.8 Lpf or the actual tested water consumption, if lower
Low-Consumption Water Closets	6.0 Lpf or the actual tested water consumption, if lower
Water Saving Water Closets	13.2 Lpf

10.3 Additional Marking – The packaging of each CPF shall bear the following information:

- 10.3.1 Manufacturer's name or registered trademark or, in the case of private labeling, the name of the customer for whom the fixture was manufactured;
- 10.3.2 Address of the manufacturer;
- 10.3.3 Importer's name and address, if imported;
- 10.3.5 Type / Model number;
- 10.3.6 The words "Made in the Philippines" (for imported products, Country of manufacture should be reflected on the packaging)
- 10.3.7 Lot/Batch Number
- 10.3.8 PS Mark with License Number (for PS License holders)
- 10.4 Products made of non-vitreous china or similar materials (applicable to lavatory, bidet, sink and water closet tanks only) shall have an additional marking stating the actual material (e.g. "non-vitreous china", "NVC", "FFC", etc.).
- 10.5 In the absence of any of the required markings or submission of incomplete markings, the application for PS, SOC, and ICC Certification shall not be processed until such time Page 16 of 29

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF GERAMIC PLUMBING FIXTURES

CORV CHIER FOR ANGELICA ISTREL P. ISMANI Heati, Records Section Debalitier of theat & theaters

that the required markings are submitted or corrected.

Rule 11. RECOGNITION OF CONFORMITY ASSESSMENT BODY

- 11.1. Only recognized Conformity Assessment Bodies (CABs) shall be allowed to participate in this mandatory product certification scheme.
- 11.2. Any CAB that intends to be recognized shall accomplish the BPS Recognition Application Form together with the following:
 - 11.2.1. Certificate of Accreditation from an Accreditation Body signatory to the ILAC/APAC MRA, to include the Scope of Accreditation;
 - 11.2.2. Certified True Copy of the Articles of Incorporation. For foreign CAB, all incorporation documents shall be authenticated by the Philippine Consulate Office. The authentication requirement may be waived subject to reciprocity agreement;
 - 11.2.3. List of authorized signatories indicating their company position and the corresponding specimen signature;
 - 11.2.4. An undertaking to abide by the terms and conditions of the recognition.
- 11.3. For foreign CABs, the application shall be submitted by the local office/representative agency to ensure accountability. Applications of foreign CABs with no local office/representative agency shall be denied.
- 11.4. The requirement on local office/representative agency may be waived subject to the provisions of any Mutual Recognition Agreement entered into by the Philippine Government through the DTI.
- 11.5. The BPS may, at any time, conduct full verification of the competence of the CAB to perform the conformity assessment activities.

Rule 12. TERMS AND CONDITIONS OF THE PS LICENSE

The PS License holders and importers shall abide by the following terms and conditions:

- 12.1. Consistently abide by R.A. 4109, E.O. 133: 1987, E.O. 913: 1983 and R.A. 7394 and their implementing rules and regulations, and orders which the BPS issues in pursuance with its authority under the law.
- 12.2. Ensure that the certified product conforms at all times to a specific standard as amended/updated and its implementing rules and regulations.
- 12.3. Warrant that it has the authority to use the brand name, trade name and trademarks indicated in the application form.
- 12.4. Be held liable for any damages that its product might cause to their consumers.

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

Head, Records Section Department of most a mustr.

- 12.5. The Product Certification Mark shall not be affixed on any products not covered by the license issued by BPS.
- 12.6. Establish and maintain systems of product recall and of addressing complaints filed by its clients or customers concerning its certified products, and shall maintain records thereof.
- 12.7. Give duly-authorized representatives of the BPS or DTI RO/PO or, in the case of foreign companies, BPS or BPS-recognized CABs, full access to the premises where the certified product is manufactured/assembled/stored; to relevant equipment, records, personnel and subcontractors for purposes of investigating complaints or evaluating consistency of compliance with the requirements of this technical regulation;
- 12.8. Maintain a record of all complaints made known to it, relating to compliance with certification requirements and make these records available to BPS or its authorized representative/s when requested; take appropriate action with respect to such complaints and any deficiencies found affecting such product's conformance to the requirements for certification; and, document the action taken, subject to verification by the BPS or its authorized representative/s.
- 12.9. Submit itself to surveillance activities to ensure consistent compliance with the BPS requirements of the Product Certification Scheme.
- 12.10. In case of subcontracts, shall assume full responsibility for its sub-assemblies', semi-finished and finished products' conformance to the specific requirements.
- 12.11. Inform BPS in writing of any changes that will materially affect its PS License and its ability to comply with BPS product certification requirements within one (1) month prior to the date the change will be made, such as, but not limited to change in management, business name, addition of brand name, modification of product's designs and specifications and/or transfer of plant site.
 - 12.11.1 If the change involves addition of brand name and modification in the product's design or specifications, BPS shall facilitate the conduct of appropriate product certification activity;
 - 12.11.2 In case of transfer of plant site, BPS, DTI RO/PO, or BPS-recognized auditing bodies shall conduct factory and product audit at the new site.
- 12.12. Pay the applicable fees and other charges as billed or stipulated by BPS, its duly recognized inspection and/or certification bodies.
- 12.13. Any incorrect references to the certification scheme; misleading use of PS License, SOC, marks or any other mechanisms indicating that a product is certified found in documentation or publicity materials or any breach hereof, shall be a ground for the issuance of Show Cause Order.
- 12.14. Traders or retailers in possession of covered products whose PS Licenses have expired or have been suspended, recalled, withdrawn, revoked or cancelled shall be notified in writing of such suspension, recall, withdrawal, revocation or cancellation.

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF GERAMIC PLUMBING FIXTURES

Page 18 of 29

TIFLEL ANGELICA INABEL P. ISNANI Head, Records Section Department of made a moustry

- 12.15. Upon suspension, recall, withdrawal, cancellation or revocation of the PS License, the holder shall discontinue the manufacture and/or use of covered products including advertising materials relevant thereto and shall take action as may be required by the BPS.
- 12.16. The PS License is non-transferable.

Any infractions of the foregoing shall be a ground for the suspension, withdrawal or cancellation of the license and/or certificate, and/or filling of appropriate legal charges.

Rule 13. TERMS AND CONDITIONS OF THE SOC/ICC APPLICATION/CERTIFICATE

The SOC/ICC applicants and holders shall abide by the following terms and conditions:

- Consistently abide by R.A. 4109, E.O. 133: 1987, E.O. 913: 1983 and R.A. 7394 and their implementing rules and regulations, and orders which the BPS issues in pursuance with its authority under law.
- 13. 2. Give duly-authorized representatives of the BPS or DTI RO/PO or BPSrecognized inspection bodies full access during working hours to the declared warehouse for the purpose of inspection, sampling and inventory.
- 13. 3. SOC/ICC Applicant shall abide by the conditions stipulated in the Certificate of Conditional Release issued by BPS.
- 13. 4. Ensure that the certified product conforms at all times to applicable standard as amended/updated and its implementing rules and regulations.
- 13. 5. Be held liable for any damages that its product might cause to their consumers.
- 13. 6. The ICC Mark shall not be affixed on any products not covered by the ICC Certificate issued by BPS.
- 13. 7. The SOC/ICC Certificate/Mark shall not be used in any misleading manner.
- 13. 8. Establish and maintain a system of product recall and of addressing complaints filed by its clients or customers concerning its certified products, and shall maintain records thereof.
- 13. 9. Pay the applicable fees and charges as billed or stipulated by BPS, DTI RO/PO, and/or BPS-recognized inspection/testing bodies.

Any infractions of the foregoing shall constitute sufficient grounds for the institution of administrative sanctions/fines against the SOC/ICC applicant/holder.

Rule 14. REQUIREMENTS IN CASE OF NON-CONFORMANCE

For covered products that do not conform to the requirements of BPS rules and regulations/guidelines, the following provisions, on a per shipment basis, shall apply:

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

Page 19 of 29

CENTIFIED TRUT PHOTOCOLY ANGELICA ISASEL P. ISNANI Head, Records Section Departument of made withdatty

- 14.1. A SHOW CAUSE ORDER shall be issued by BPS or DTI-RO/PO giving the PS License holder or the importer opportunity to explain within fifteen (15) calendar days from receipt thereof why its Surety Bond shall not be forfeited in favor of DTI and/or why a formal charge shall not be filed. This may include a CEASE AND DESIST ORDER addressed to the owner/manager or the authorized representative of the company concerned, to refrain from supplying, distributing, selling or displaying for sale the products subject thereof until such time that the Show Cause Order is lifted.
- 14.2. If the explanation to the Show Cause Order is not acceptable, the BPS or DTI-RO/PO shall direct the manufacturer and/or importer concerned to submit a sworn affidavit undertaking to do the following as directed whichever is applicable:
 - 14.2.1 Permanently cease and desist from manufacturing, supplying, distributing, selling or displaying for sale the non-conforming products subject thereof;
 - 14.2.2 Effect a full product recall to account such products that are already in circulation through publication in a newspaper of national circulation, giving the public a minimum of thirty (30) calendar days from the second publication within which to return subject products. The product recall shall specify the basis or ground therefor. The manufacturer/importer/distributor shall keep BPS informed in writing on the progress of the recall. Such publication shall include a NOTICE warning the public that the product subject thereof is not compliant with the safety and/or quality requirement; and
 - 14.2.3 Recognize BPS authority to forfeit the Surety Bond in such amount as prescribed herein.

Rule 15. PROCEDURES AND REQUIREMENTS FOR PRODUCT RECALL

After the product is declared by the BPS to be non-conforming, the BPS shall immediately notify the manufacturer and/or importer. The manufacturer and/or importer shall within fifteen (15) days from receipt of notice implement product recall in accordance with the following:

- 15.1. The recall order shall be published in a newspaper of general circulation for at least two (2) consecutive Saturdays/Sundays;
- 15.2. The layout, content, font and size of the recall order shall be prescribed by the BPS;
- 15.3. The recall period shall be for a minimum of thirty (30) days from date of the second publication;
- 15.4. Proof of publication of the recall orders shall be submitted to the BPS or the DTI RO/PO;
- 15.5. Inventory of the recalled products shall be submitted to BPS or DTI RO/PO;

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

Page 20 of 29 CENTIFIED TRUE THOTOC NGELICA ISABEL P. ISNANI Head, Records Section Department of that with testry

- 15.6. Recalled products shall be condemned, destroyed, or otherwise disposed of in accordance with applicable rules on disposal issued by the DTI, Department of Budget and Management, and Commission on Audit.
- 15.7. The manufacturer and/or importer shall compensate parties availing of the recall order.

Rule 16. FEES, CHARGES, BOND REQUIREMENT AND OTHER EXPENSES

- 16.1. All corresponding fees, charges, costs, and other related expenses shall be for the account of manufacturer/importer.
- 16.2. Fees and charges to be paid by the applicant in accordance with Annex A shall be as follows:
 - 16.2.1. Application Fee;
 - 16.2.2. Audit/inspection fees;
 - 16.2.3. Testing fees;
 - 16.2.4. Transportation/travelling expenses, and board and lodging costs of auditor/s and inspector/s during audit/inspection, subject to existing rules and regulations or third-party provision;
 - 16.2.5. Processing Fee of Statement of Confirmation/Import Commodity Clearance on imported products (non-refundable, payable upon filing of the application on per product, per shipment, per Bill of Lading/Airway Bill basis, assessed by the BPS based on the amount declared in the Invoice);
 - 16.2.6. PS License fee for manufactured products;
- 16.3. For imported CPFs, a Surety Bond amounting to One Hundred Fifty Thousand Pesos (PhP 150,000.00) or ten percent (10%) of the declared value/dutiable value in Philippine Peso, whichever is higher, shall be posted on a per shipment, per Bill of Lading/Airway Bill basis.
- 16.4. Any violation of the terms and conditions of the Product Certification Scheme shall, upon notice, result in the *motu proprio* forfeiture of the bond based on the non-conformity or non-compliance stated herein.

Rule 17. SHOW CAUSE ORDER AND BOND FORFEITURE

- 17.1 A Show Cause Order shall be issued against a manufacturer or importer who fails to comply with legal and technical requirements or whose product/s failed to conform to such requirements, unless the manufacturer or importer can justify under oath that the non-conformity is correctible and/or the non-compliance is negligible.
- 17.2 A Cease and Desist Order may be issued simultaneously with the Show Cause Order directing the manufacturer and/or importer to refrain from manufacturing, selling, distributing or disposing the products in any manner.
- 17.3 Any violation of the Terms and Conditions of the Certificate of Conditional Release and/or provisions of this Order shall, upon notice, result in *moto proprio* forfeiture of the Surety Bond.

Page 21 of 29

CLATIFIED TRUE PHOTOCOPY

ANGELICA ISABEL P. ISNANI Head . Grande Cartian

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

17.4 Pending resolution of the Show Cause Order involving a particular shipment, applications filed after the issuance of the Show Cause Order by the same importer may be processed, provided, a sworn undertaking to abide by the decision on said Show Cause Order shall be submitted prior to the issuance of the necessary Certificate/License for succeeding application/s.

Rule 18. SUSPENSION, WITHDRAWAL, AND CANCELLATION OF PS LICENSE

- 18.1 A duly issued PS License shall be suspended, recalled, withdrawn, cancelled or revoked based on any of the following grounds:
 - 18.1.1 That the product bearing the PS Mark failed to conform to the requirements of a specific PNS as amended/updated;
 - 18.1.2 That licensee failed to comply with monitoring, surveillance or enforcement notices/directives/orders;
 - 18.1.3 That the licensee failed to comply with the terms and conditions of the license:
 - 18.1.4 That the licensee made false statements or alterations in connection with its application for or re-certification of the license;
 - 18.1.5 That the licensee violated any of the provisions of this Order;
 - 18.1.6 That an Order of Execution vis-à-vis a decision finding the licensee liable for violation of a trade and industry law/s or rules and regulations directing BPS to suspend/cancel or revoke the PS License issued in favor of said licensee;
- 18.2 The license shall be suspended, recalled, withdrawn, cancelled or revoked after the BPS Director has served the licensee a notice of his intention to do so, stating therein the grounds for the contemplated action, granting the licensee the opportunity to be heard within fifteen (15) calendar days from the date of notice.
- 18.3 If there is a final finding that a product does not conform to the specified technical requirements, the license shall, upon mere notice be immediately suspended, withdrawn, recalled, cancelled or revoked.
- 18.4 Notwithstanding the preceding provisions, the BPS Director may direct that a Formal Charge be filed against the party concerned pursuant to E.O. 913 Series of 1983, DAO No. 7, Series of 2006 and DAO No. 2, Series of 2007 and /or its future amendments.
- 18.5 In cases of suspended, withdrawn or cancelled PS License, the manufacturer shall not be allowed to manufacture or produce in any manner the products covered by the particular PS License. The suspension, withdrawal or cancellation shall take effect immediately upon receipt of the notice until the suspension is lifted or the withdrawn/cancelled PS License is reinstated.

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY

Page 22 of 29

and a state

ANGELICA ISABEL P. ISNANI Head Pecords Section

Lager

Rule 19. COMPLAINTS/APPEAL HANDLING PROCESS

- 19.1 BPS shall implement a system of handling complaints/appeals related to the product certification process.
- 19.2 Remedies for the action or decision of a BPS personnel/chief/director relative to an application for PS License/SOC/ICC shall be the following:
 - 19.2.1 In case of denial of the PS License/SOC/ICC application, the applicant may file a motion for reconsideration with the BPS Director within ten (10) working days from receipt of the letter of denial. No second motion for reconsideration shall be allowed;
 - 19.2.2 In case of suspension, recall, withdrawal, cancellation or revocation of the PS License, a motion for reconsideration may be filed with the BPS Director by the licensee within ten (10) working days from receipt of the notice. No second motion for reconsideration shall be allowed.
- 19.3 In case the motion for reconsideration is denied, an appeal may be filed with the DTI Secretary within fifteen (15) calendar days from receipt of denial of the motion for consideration. The appeal shall be based solely on grounds of grave abuse of discretion amounting to lack or excess of jurisdiction committed by the official who rendered the decision.
- 19.4 The filing of a Motion for Reconsideration shall suspend the period to file an appeal.

Rule 20. PROHIBITED ACTS

The following acts are hereby declared prohibited, in addition to those listed in DAO No. 2, Series of 2007 and its future amendments, viz:

- 20.1 Use of the Product Certification Mark in any misleading manner;
- 20.2 Manufacture or production of covered products after the license is suspended, withdrawn or cancelled;
- 20.3 Sale, offer for sale using over the counter or on-line mode or any form of advertisement of any CPFs not complying with the particular technical regulation or corresponding standard;
- 20.4 Non-compliance, neglect or resistance to effect the product recall as directed by BPS;
- 20.5 Misrepresentations, misleading or unauthorized statements and/or claims made in the application, letters/replies/forms in relation to product certification. Such include unauthorized reproduction of product certification documents, or any part thereof;
- 20.6 Non-compliance or failure to comply with the provisions hereof.

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

ANGELICA ISADEL P. ISNANI Head, Reports Section

Page 23 of 29

Rule 21. PENALTIES OR SANCTIONS

The following shall be imposed upon any manufacturer, importer, recognized testing laboratory/facility, or any other person or entity found in violation of any provision hereof after due process, as may be appropriate:

- 21.1 Administrative fine as per existing DTI Rules and Regulations/Department Administrative Orders and E.O. 913.
- 21.2 Cancellation or revocation of PS License pursuant to a final and executory decision rendered by an administrative agency or the regular courts.
- 21.3 Cancellation or revocation of recognition issued by the BPS.
- 21.4 Watch-listing and/or blacklisting of importers/manufacturers.
- 21.5 Any other sanctions or penalties as provided under existing DTI rules and regulations.

Rule 22. DISPOSAL OF SAMPLES

- 22.1 Tested samples which complied with the requirements of the standard as well as the unused samples shall be retrieved by the manufacturer and/or importer within fifteen (15) calendar days from receipt of notice of retrieval from the concerned testing laboratory, copy BPS. If the importer/manufacturer fails to claim the samples after the said period, the testing laboratory shall, with due notice to BPS and the manufacturer and/or importer, dispose the samples in a manner deemed appropriate in accordance with existing accounting and auditing rules.
- 22.2 Samples which fail to comply with the specified requirements shall be stored for at least six (6) months in the laboratory to ensure their availability in the event the importer/manufacturer contests the result of the test including those subject of litigation.

Rule 23. ISSUANCE OF GUIDELINES/PROCEDURES

BPS may issue such procedural guidelines as may be necessary in the implementation of this Order.

Rule 24. MONITORING AND MARKET SURVEILLANCE

24.1 The BPS, FTEB or DTI RO/PO shall at any time monitor and inspect products in the market for conformance to the requirements of this Order, their future amendments, and the specified standard. If the products are found not in conformity, the BPS, FTEB or DTI RO/PO shall make appropriate legal actions or impose necessary sanctions, in accordance with the relevant laws, rules and regulations.

THE NEW TECHNICAL R	EGULATIONS CONCEI	RNING THE MANDATORY
PRODUCT CERTIFICATIO	ON OF CERAMIC PLUM	IBING FIXTURES

ANGELICA ISAGEL P. ISNANI Head, Records Section Dep 31 10 11 11 11 11 11 11

Page 24 of 29

24.2 The BPS, in coordination with the Construction Industry Authority of the Philippines (CIAP) may conduct verification and inspection at construction project sites to ensure that the CPFs used are compliant with the requirements of this Order.

Rule 25. TRANSITORY PROVISIONS

- 25.1 All manufacturers with existing valid PS License shall comply with the procedures and requirements of this Order on the subsequent recertification audit immediately upon effectivity hereof.
- 25.2 All pending PS applications received prior to the effectivity of this Order shall be processed in accordance with DAO 04:2008 and after the issuance of the PS License, manufacturers shall comply with the procedures and requirements of this Order on the subsequent surveillance audit.
- 25.3 For existing foreign PS License holders with multiple importers, only existing importers prior to the effectivity of this Order shall be allowed to utilize the license until its expiration.
- 25.4 Upon recertification, the foreign PS License holder shall appoint a specific importer to continue using the license number. For other and new/additional importers, new PS application shall be required.
- 25.5 All PS License applications received after the effectivity of this Order shall be subject to the procedures and requirements prescribed herein.
- 25.6 All importations of CPFs covered by this Order shall be subject to the procedures and requirements prescribed herein immediately upon effectivity hereof.
- 25.7 All manufacturers and importers of ceramic shower bases, which are recently covered by this Order, shall be required to undergo the mandatory PS, SOC and/or ICC procedures after six (6) months from the date of effectivity of this Order.
- 25.8 All importations of ceramic shower bases ordered and paid for prior to the effectivity of this Order shall be exempted from the certification requirements stated herein provided that the shipment shall arrive in the Philippine ports not later than twelve (12) months from the effectivity of this Order. Proof of payment and import entry shall be submitted to BPS for verification.
- 25.9 To ensure strict compliance for ceramic shower bases, monitoring and enforcement shall be conducted twenty-four (24) months after the effectivity of this Order. After this period, only ceramic shower bases bearing a valid PS Mark or ICC Sticker shall be distributed in the local market. All non-compliant products shall be subject to the following:
 - 25.9.1 First Offense Notice of Violation shall be issued but retailers/distributors shall only be advised to pull-out the items from the selling area.
 - 25.9.2 Second Offense onwards Notice of Violation shall be issued subject to the regular adjudication process.

Page 25 of 29

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

STIFIED TRUE PHOTOCOPY ANGELICA ISABEL P. ISNANI Head Records Sertian Department of the local of the Stud

Rule 26. REPEALING CLAUSE

All provisions of existing Department Administrative Orders, circulars, and guidelines inconsistent with this Administrative Order are hereby repealed subject to the transitory provisions below.

Rule 27. SEPARABILITY CLAUSE

If any term or provision of this Order should be declared illegal or invalid by a court of competent jurisdiction, the remaining terms and provisions thereof shall remain unimpaired and in full force.

Rule 28. EFFECTIVITY

This Order shall take effect upon fifteen (15) days after its publication in a national newspaper of general circulation, a copy of which shall be submitted to the UP Office of National Administrative Register.

Done in the City of Makati this <u>2nd</u> for day of <u>Dec</u>	cember 🌔 in the year 2021.
Recommended b	by: Digitally signed by Castelo Ruth Bernardino
NEIL P. CATAJAY Director, Bureau of Philippine Standards	ATTY. RUTH B. CASTELO Undersecretary, CPG
RAMON M. LOPE Secretary	Z

THE NEW TECHNICAL REGULATIONS CONGERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

Page 26 of 29

CENTIFIED TRUEPHOTOCOL ANGELICA ISABEL P. ISNANI Head, Records Section of must a mastry

.

TABLE 1: SCHEDULE OF FEES AND CHARGES FOR BPS PS LICENSING

	PARTICULARS	FEE	PAYABLE TO	
1	Application Form	Php 300.00	DTI	
2	Quality Manual Review	Php 5,000.00	DII	
3	Pre-Audit / Audit / Surveillance as per size of establishment ba	within 15 days after billing)		
3.1	Micro	Php 100.00 or as charged by Designated Auditing Body	DTI / Designated Auditing Body	
3.2	Small	Php 300.00 or as charged by Designated Auditing Body		
3.3	Medium	Php 400.00 or as charged by Designated Auditing Body		
3.4	Large	Php 500.00 or as charged by Designated Auditing Body		
4	Original License Fee* (Payable			
4.1	Micro	Php 5,000.00		
4.2	Small	Php 7,500.00	DTI	
4.3	Medium	Php 10,000.00		
4.4	Large	Php 12,500.00		
5	Annual License Fee* (Payable	within 15 days after billing)		
5.1	Micro	Php 2,500.00		
5.2	Small	Php 3,750.00	DTI	
5.3	Medium	Php 5,000.00		
5.4	Large	Php 6,250.00		
6	Transportation	As per arrangement (if necessary)	DTI / Designated Auditing Body	
7	Hotel Accommodation	As per arrangement (if necessary)	DTI / Designated Auditing Body	
8	Testing Fee	As charged by Designated Testing Laboratory	BPS-Recognized Testing Laboratory	
9	Freight Charges of Samples	As charged by Freight Forwarder	Freight Forwarder	
10	Market Sample	As per Official Receipts / Sales Invoice	Manufacturer/Importer	

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC FLUMBING FIXTURES

Page 27 of 29

ANGELICA ISADEL P. ISNANI Head. Records Section

TABLE 1A: SIZE OF ESTABLISHMENT

SIZE OF ESTABLISHMENT	ASSETS
Micro	Up to Php 3,000,000.00
Small	Php 3,000,001.00 up to Php 15,000,000.00
Medium	Php 15,000,001.00 up to Php 100,000,000.00
Large	Over Php 100,000,000.00

TABLE 2: SCHEDULE OF FEES AND CHARGES FOR THE IMPORT COMMODITY CLEARANCE (ICC) AND STATEMENT OF CONFIRMATION (SOC)

PARTICULARS	FEE	PAYABLE TO
Application Fee	Php 300.00	DTI
Processing Fee (depends on the	value of the batch being ap	oplied for SOC/ICC)
Invoice/batch value up to Php 500,000.00	Php 5,000.00	
Invoice/batch value from Php 500,001.00 to Php 1,000,000.00	Php 7,500.00	DTI
Invoice/batch value above Php 1,000,000.00	Php 10,000.00	
Inspection Fee	As charged by the DTI / BPS Designated Inspection Body	DTI / Designated Inspection Body
Transportation	As per arrangement (if necessary)	DTI / Designated Inspection Body
Testing Fee	As charged by the BPS Testing Laboratory or BPS- recognized testing laboratories Laboratory	DTI / BPS-Recognized Testing Laboratory
Freight charges of samples	As charged by Freight Forwarder	Freight Forwarder
Market sample	As per Official Receipts/Sales Invoice	Manufacturer/Importer

Notes:

- Original and Annual License Fees depend on the size of establishment as stipulated on Table 1A herein.
- The Schedule of Fees and Charges in this DAO were adopted from DAO 4:2008 and DAO 5:2008.

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

Page 28 of 29 CONTIFIED TR DHO ANGELICA ISADEL P. ISNANI Head, Records Section Department of these S. Muster/

ANNEX "B"

PS Certification Mark

(PS Certification Mark Logo with License No.)



CERTIFIED Product Quality License No. Q-XXXX

THE NEW TECHNICAL REGULATIONS CONCERNING THE MANDATORY PRODUCT CERTIFICATION OF CERAMIC PLUMBING FIXTURES

P.P. F. F. F. CETTIFIED VOT ANGELIER TOPEL P. ISNANI Heart. Peteres Section Departer and a constru

Page 29 of 29